[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible]:

1)[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] 100% [illegible] [illegible]

2)[illegible] [illegible] [illegible]-[illegible] [illegible] [illegible]

3)[illegible] [illegible] [illegible]

4)[illegible] [illegible], [illegible] [illegible]

[illegible] [illegible]:

[illegible] [illegible] [illegible] [illegible]	[illegible] ([illegible])	[illegible] ([illegible])	[illegible] [illegible] (g)
4.5 [illegible]	11*6	55	80
5 [illegible]	13*6	75	100
6.5 [illegible]	16*6	98	250
7 [illegible]	18*9	168	300
8 [illegible]	20*8	198	600
	21*8	203	800
9 [illegible]	22 * 8.5	215	1000
	23 * 8.5	220	1500
10 [illegible]	25 * 8.5	245	1600
11 [illegible]	28 * 8.5	260	1800
1 [illegible]	30 * 8.5	300	2000

Instruction For Use

□□□□□□□, □□□□ □□□□□□□□□□ □□□□□□□□ □□□□ □□□□

[illegible] [illegible]

1)[illegible], [illegible]

2)[illegible], [illegible], [illegible], [illegible], [illegible] 10 [illegible] OEM [illegible], [illegible]