

1612

12

Surface Finish Features			
			
	Anodized	Hard Anodized	Ceramics Coating
Hardness	★★★★	★★★★★	★★★★★
Scrub Resistance	★★★★	★★★★★	★★★★★
Non-Stick	★★★★	★★★★	★★★★★
Heat Resistance	380℃	380℃	380℃

12

12	12 (mm)	12 (mm)	12 (mm)	12
7"	1.5	180*240	152	420
8"	1.5	200*260	180	450
9"	1.5	230*290	200	480
10"	1.5	250*320	225	530

12







10 Inch



9 Inch



8 Inch



7 Inch









我们拥有自己的工厂，所有产品均通过 **FDA** 和 **SGS** 认证





No. 9DHL2105008712GA

Date: Jun 02, 2021

Page 1 of 4

XINXIN INDUSTRIAL CO., LTD
Fl. 7, Huhe building, 4075 Longxiang Road, Shenzhen, China

Sample Description : PIZZA SHOVEL
Style No. : 30CM
Item No. : Skpp-3038

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant, SGB is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

SGS Ref No.	: CAN-HG2109097401
Sample Receiving Date	: May 25, 2021
Test Performing Date	: May 25, 2021 to Jun 01, 2021
Test Performed	: Selected test(s) as requested by applicant

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, Council of Europe Resolution CM/Res(2013)6-Extractable heavy metals	PASS	/

For further details, please refer to the following page(s)

For further details, please refer to the following page(s)

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

Snow

Snow Zhang
Authorized Signatory

[illegible]

Member of the SGL Group (SGL SW)




No. 8DHL2105008712GA

Date: Jun 02, 2021

Page 4 of 4

Photo Appendix:



CANHG2109097401
CAN21-090974.001

Remark: This test was subcontracted to SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch.

End of Report

[illegible]

Member of the SGG Group (SGG SA)