0000/00000000000000000000000

- 6. 00000
- **7**. 0000000
- 8. 000000000

1.2	3
1149*850*1020mm	1390*990*1320mm
380V 50-60Hz	380V 50-60Hz
<u> 370</u>	<u> 370</u>
90W 4P	90W 4P
0.3kg/ <u> </u>	0.6kg/
15-25 [[[]/[]	15-25
160	200[
380V 50-60Hz	380V 50-60Hz
500°	500°






Large cooling tray with high power motor, cooling rapidly within 1-2 minutes, can fasten the coffee flavor



Gas Model adopt import cast iron burner, blue flame, temperature rising fast and stable.





Window to see inside of the drum, you can see the change of the coffee color directly.



Domestic and Industrial continue roasting design, centrifugal hot air flow circulation with frequency regulation system, roasting temperature is accurate and adjustable.

The thermocouple detectors to provide quick and accurate real-time temperature measurement of beans roasting.



Highest Quality Materials

1

- All bean contact body are made of food grade 304 stainless steel. Double-walled drum for even heating and roasting.
- Independent powerful motors with infinitely adjustable-speed system, brand cooling and roasting at the same time.
- The temperature controller panel with dual thermocouple detectors and LED colorful stainless steel switch buttons for service life up to 50,000 times.

Echo-friendly Solutions

2

- The burner can make sure 360 degree even roast. Super energy-saving, cost you only USD0.25-USD0.30 hour for gas consumption.
- Roast sustainable and reduce emission with our electric type roaster.
 30mm cancer-free insulation material, ceramic fiber for heat resistance and minimal heat loss.

Warranty Guarantee

3

- When you buy the coffee roaster from us, you are assured of the best support and service from the beginning to the end.
- 24/7 online after-sale service guaranteed under 1 year limited warranty with a Birth Card bearing unique birth code & Warranty Card Stated warranty terms.
- Warranty can be extend up to 3 years with extra cost.

1. 0000000000000

2. חחחחחחחחח

DODDO T/TODDODPaypal DODDODDO DODDODDODD L/CD

4. 00000000000000

8. 0000000000000

9. 0000000000