

80 kg 100 kg 120 kg Industrietyp Kaffeeröster Kleine Nüsse, die Kakaobohnen-Winwer-Maschine rösten

Funktionen der Kaffeebohnenmaschine :

1. Doppelwandige Trommel aus Edelstahl 304 in Lebensmittelqualität für gleichmäßige Erwärmung.
2. Doppelwandige Isolierschicht zur Vermeidung von Wärmeverbrauch und hervorragender Isolierwirkung.
3. Druckgussstahl zum Braten der Seitenwand, um auch den Wärmeverbrauch zu verhindern. Während andere Edelstahlmaterial verwenden.
4. 360°-Heizelemente für gleichmäßig erhitzte Kaffeebohnen.
5. 4 unabhängige Hochleistungsmotoren, die gleichzeitig braten und kühlen können.
6. Kühlschale aus hochwertigem Edelstahl mit größerer Größe, um Kühlzeit zu sparen, besser zum Befestigen des Kaffeebohnen geschmacks.
7. Selbstzündung mit einstellbarer Hitzesteuerung
8. Sichtglas, Brennerfensterglas, Probenlöffel und die Echtzeit-Temperaturanzeigen für eine genaue Überwachung während des Bratens.
9. Manuelle Steuerung der Luftstromeinstellung, um den Kaffeegeschmack zu maximieren
- . 10. Zusätzliche LED-Lampe angebracht.

Produktbeschreibung:

| Style-Parameter | 80 kg | 100 kg | 120 kg |
|----------------------------|--------------------------------|--------------------------------|--------------------------------|
| Produktgröße | 3100 * 1830 * 1850mm | 3600 * 2000 * 3500mm | 3500 * 1950 * 3000mm |
| Stromspannung | 380V 50-60Hz | 380V 50-60Hz | 380V 50-60Hz |
| Fan Power | 2,2kw | 1,75kw | 5kw |
| Trommelmaterial | SUS301S Importiert aus Japan | SUS301S Importiert aus Japan | SUS301S Importiert aus Japan |
| Leistung des Trommelmotors | 1,5kw | 2,2kw | 5kw |
| Trommelröstgeschwindigkeit | 46 Geschwindigkeit / min. | 25-70 Geschwindigkeit / min. | 46 Geschwindigkeit / min. |
| Lüfterleistung | 4KW x2St | 4KW x2St | 5KW x2St |
| Gasverbrauch | 8kg/Std | 10kg/Std | 10kg/Std |
| Heizmodus | Gas | Gas | Gas |
| Backzeit | 15-25 min / Charge | 15-30 min / Charge | 15-30 min / Charge |
| Reingewicht | 2500 kg | 2600 kg | 2800 kg |
| Stromspannung | 380V 50-60Hz | 380V 50-60Hz | 380V 50-60Hz |
| Temperatur lief | Raumtemperatur zu 500 ° | Raumtemperatur zu 500 ° | Raumtemperatur zu 500 ° |







Large cooling tray with high power motor, cooling rapidly within 1-2 minutes, can fasten the coffee flavor



Gas Model adopt import cast iron burner, blue flame, temperature rising fast and stable.

The control board with indicator light can be adjusted flexible, very easy for operation.



Window to see inside of the drum, you can see the change of the coffee color directly.



The thermocouple detectors to provide quick and accurate real-time temperature measurement of beans roasting.



Domestic and Industrial continue roasting design, centrifugal hot air flow circulation with frequency regulation system, roasting temperature is accurate and adjustable.

Die Verkaufsargumente des [Kaffeebohnen-Backmaschinenherstellers China](#)

Highest Quality Materials

1

- All bean contact body are made of food grade 304 stainless steel. Double-walled drum for even heating and roasting.
- Independent powerful motors with infinitely adjustable-speed system, brand cooling and roasting at the same time.
- The temperature controller panel with dual thermocouple detectors and LED colorful stainless steel switch buttons for service life up to 50,000 times.

Echo-friendly Solutions

2

- The burner can make sure 360 degree even roast. Super energy-saving, cost you only USD0.25-USD0.30 hour for gas consumption.
- Roast sustainable and reduce emission with our electric type roaster. 30mm cancer-free insulation material, ceramic fiber for heat resistance and minimal heat loss.

Warranty Guarantee

3

- When you buy the coffee roaster from us, you are assured of the best support and service from the beginning to the end.
- 24/7 online after-sale service guaranteed under 1 year limited warranty with a Birth Card bearing unique birth code & Warranty Card Stated warranty terms.
- Warranty can be extend up to 3 years with extra cost.



WITH

OUR CUSTOMERS

