

# Bandejas perforadas de aluminio redondas doradas de 6.5 "-dieciséis" Bandeja para hornear de 12 pulgadas Bandeja para pizza dorada

## Características de [Herramientas para pizzas](#) :

- 1. No tóxico, anticorrosivo.
- 2. Duradero, no se oxida.
- 3. Resistente a altas temperaturas
- 4. Protección del medio ambiente
- 5. Resistencia a la corrosión, fácil de limpiar.

## Descripción del producto:

| Molde redondo para pizza | Espesor (mm) | Diámetro superior (mm) | Diámetro inferior (mm) | Altura (mm) |
|--------------------------|--------------|------------------------|------------------------|-------------|
| 6.5"                     | 1.5          | 195                    | 165                    | 20          |
| 7.5"                     | 1.5          | 215                    | 190                    | 20          |
| 9"                       | 1.5          | 255                    | 230                    | 20          |
| 10"                      | 1.5          | 293                    | 265                    | 20          |
| 11"                      | 1.5          | 308                    | 275                    | 20          |
| 12"                      | 1.5          | 330                    | 305                    | 20          |
| 13"                      | 1.5          | 355                    | 325                    | 20          |
| 14"                      | 1.5          | 385                    | 355                    | 20          |
| 15"                      | 1.5          | 410                    | 380                    | 20          |
| 16"                      | 1.5          | 445                    | 405                    | 20          |

## La imagen muestra:




















el taller de **Fabricante de molde para pizza perforado de China**, también  
nuestros productos pueden pasar la prueba FDA y SGS.



## Test Report

No. 80HL2106008719QA

Created: June 02, 2024

Page 1 of 4

XINXIN INDUSTRIAL CO., LTD  
R. 7, Huifu Building, 4075 LongXiang Road, Shenzhen, China

|                    |                |
|--------------------|----------------|
| Sample Description | : PIZZA SHOVEL |
| Style No.          | : 20CM         |
| Item No.           | : SPR-3038     |

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant, SGB is not liable to alter the test item or its relevant information, in terms of the accuracy, suitability, reliability and integrity accordingly.

|                       |                                            |
|-----------------------|--------------------------------------------|
| BSR Ref No.           | CAN-02-00000001                            |
| Sample Receiving Date | May 26, 2021                               |
| Test Performing Date  | May 26, 2021 to Jun 01, 2021               |
| Test Performed        | Selected test(s) as requested by applicant |

### Test Result Summary

| No. | Test(s) Requested                                             | Result(s) | Comments |
|-----|---------------------------------------------------------------|-----------|----------|
| 1   | US FDA CPQ Sec. 645.600 - Laboratory Lead                     | PASS      | /        |
| 2   | US CMA recommended specification - Aluminum alloy composition | PASS      | /        |

For further details, please refer to the following page(s):

For further details, please refer to the following papers:

Signed for and on behalf of  
808-C81C Standards Technical Services Co., Ltd. Shunde Branch

Snow



Erwin Zhang  
Authorized Signatory



© 2008 The Authors  
Journal compilation © 2008 Blackwell Publishing Ltd

Member of the S&amp;P 500 Group (S&amp;P 500)


## Test Report

No. SCHL21050087110A

Date: Jun 02, 2021

Page 4 of 4

Photo Appendix



CANHG2109093601  
CAN21-090936.001

Remark: This test was subcontracted to SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

\*\*\*End of Report\*\*\*

[illegible]

Member of the IAGLR Group (IAGLR 14)