Mango de silicona resistente al calor antiadherente de 8/10 pulgadas con gancho giratorio Revestimiento de cerámica Levantador de pizza

Características y diferencia de Herramientas para pizzas :

Surface / Finish / Features	Anodized	Hard Anodized	Ceramics Coating
Hardness	★★★★	★★★★★	★★★★★
Scrub Resistance	★★★★	★★★★★	★★★★★
Non-Stick	★★★★	★★★★	★★★★★
Heat Resistance	380℃	380℃	380℃

Descripción del producto:

Molde redondo para pizza	Espesor (mm)	Tamaño de cáscara (mm)	Altura interior mm)	Peso (gramos)
7"	1.5	180*240	152	420
8"	1.5	200*260	180	450
9"	1.5	230*290	200	480
10"	1.5	250*320	225	530

La imagen muestra:

el taller de Aluminio de cáscara de pizza anodizado duro, también nuestros productos pueden pasar la prueba FDA y SGS.

盛通数控
Shengtong CNC

XINXIN INDUSTRIAL CO., LTD
Fl. 7, Huihe building, 4075 Longxiang Road, Shenzhen, China

Sample Description	:	PIZZA SHOVEL
Style No.	:	30CM
Item No.	:	Skpp-3036

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

****

SGS Ref No.	:	CANHG2109097401
Sample Receiving Date	:	May 25, 2021
Test Performing Date	:	May 25, 2021 to Jun 01, 2021
Test Performed	:	Selected test(s) as requested by applicant

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004,Council of Europe Resolution CM/Res(2013)9–Extractable heavy metal	PASS	/
For further details, please refer to the following page(s)			

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

Snow Zhang
Authorized Signatory

Member of the SGS Group (SGS SA)

Photo Appendix:



CANHG2109097401
CAN21-090974.001

Remark: This test was subcontracted to SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch.

End of Report

Member of the SGS Group (SGS SA)