00000 000 0000000 000000 000000 00 000 **8/10** 000 000**-**00000

## 

Surface Finish Features	Anodized	Hard Anodized	Ceramics Coating
Hardness	***	****	****
Scrub Resistance	***	****	****
Non-Stick	***	***	****
Heat Resistance	380℃	380℃	380℃

## 

000 000000 000	0000 (0000)	000 0000 (0000)	(0000 00000 0000	000 (00)
7"	1.5	180*240	152	420
8"	1.5	200*260	180	450
9"	1.5	230*290	200	480
10"	1.5	250*320	225	530

00000 000000 00:































Test Report No.8DHL2105008712GA Date: Jun 02, 2021 Page 1 of 4

XINXIN INDUSTRIAL CO., LTD Fl. 7, Huhe building, 4075 Longxieng Road, Shenzhen, China

: PIZZA SHOVEL : 30CM : 8kpp-3038 Style No. Item No.

As above test hem and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability oriend integrity accordingly.

SGS Ref No. : CANHG2109097401 : May 25, 2021

Sample Receiving Date Test Performing Date Test Performed : May 25, 2021 to Jun 01, 2021 : Selected test(s) as requested by applicant

Test Result Summery

No.	Test(s) Requested	Result(s)	Comments
t	Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004,Council of Europe Resolution	PASS	-1
	CM/Res(2013)9-Extractable heavy metal		

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shunde Brench

Sam

Snow Zhang Authorized Signatory








Test Report No.8DHL2105008712GA Date: Jun 02, 2021

Page 4 of 4

Photo Appendix:



CANHG2109097401 CAN21-090974.001

Remerk: This test was subcontracted to SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch.

""End of Report""

