# 

# 

	N2O 0000 0000
0000#	SKCW300
	72 * 25mm
	45 0000 / 000
	00000 / 0000 / 000000 / 0000 / 000 / 00000 00





<u>:</u>



#### 

Test Report No.: 721619680-1 Report Date: 30 April 2015



TÜV SÜD China TEST LOCATION

SUBJECT

TÜV SÜD Products Testing (Shanghai) Co., Ltd.

XINXIN Industrial Co., Ltd Co., Ltd

Chemical Test

CLIENT ADDRESS Huihe building, Longxiang road 4075, Longgang, Shenzhen, China

TEST PERIOD 14-Apr-2015-20-Apr-2015

TEST REQUEST

In accordance with US FDA 21 CFR 177.1500 In accordance with US FDA 21 CFR 177.1520 In accordance with US FDA 21 CFR 177.1210 in accordance with US FDA 21 CFR 177.300 in accordance with US FDA 21 CFR 177.300 in accordance with US FDA CPG Part 7117.05

CONCLUSION

The submitted sample with test part(s) 001 was found to comply with the requirement(s) as specified in FDA 21 CFR 177.1500 specifications for Nylon 6 used in articles that contact with food.

in latitudes that contact, with nood.

The submitted sample with test pert(s) 002 was found to comply with the requirement(s) as specified in FDA 21 CFR 177.1520 for polyethylene used in articles that contact food except for articles used for packing or holding food during

mitted sample with test part(s) 003 was found to comply with the FDA Specifications for determining the amount of chloroform-soluble estractives in distilled water for Columes (CLOS). The submitted respies with heat partial 004 and 005 were found to comply with the

FDA specifications for determining the amount of extractives extractives in distilled water from resinous or polymeric coating used as the food-contact surface of articles. The submitted sample with test partial 05 was found to comply with the respective requirement(s) for the tested item(s) as specified in FDA Complican Policy Guide 7117.05 Silver-Plated Hollowwishe - Lead Contamination.

Prepared By

Authorized Dy

Test Report No. NGBHG1402905701

Date: 18 Sep 2014

Page 1 of 6

XINXIN INCUSTRIAL CO., LIMITED

8 Building, NO 57, TongLe Community LongCang Dist., China

505 Ref No. : Date of Sample Received: 05 Sep 2014

Testing Period : Test Requested : Selected test(s) as requested by client. Test Method

Please refer to next page(x). Please refer to next page(x).

#### Result Summary:

Test Requested	Conclusion
FDA 21 CFR 177.1210-Chloroform-soluble extractives (sample 002)	PASS
FDA 21 CFR 177.1520- Extractable fraction in n-hexane (sample 001)	PASS
FDA 21 CFR 177.1520- Soluble fraction in xylene (sample 001)	PASS
Leachable Lead (sample 003)	PASS
FDA 21 CFR 177.1520-Density at 23°C (sample 001)	PASS
FDA 21 CFR 177.1520- Melting Point (sample 001)	PASS

igned for and on behalf o SGS-CSTC Ltd.

Approved Signatory



nter of the SGS Group (SGS SA)

### 

# 000: 0000 00 00 00000000 000?

### 000000: 0000 000000 00 000000 00?

 
 0: 00000000 000000: 00 / 00, 00000 000000, 0000000 Tradesure 00 Paypal0
 

### 

### 000: 0000 00 0000 0000 **OEM** 00 **ODM?**

## 

## 

# 

##