

6.5吋-16吋液晶顯示器安裝說明書12吋液晶顯示器安裝說明書

圖 1 顯示器安裝步驟

- 1. 安裝顯示器
- 2. 安裝顯示器底座
- 3. 安裝顯示器底座
- 4. 安裝顯示器底座
- 5. 安裝顯示器底座

圖 2 顯示器安裝步驟

顯示器尺寸	顯示器mm	顯示器mm	顯示器mm	顯示器mm
6.5"	1.5	195	165	20
7.5吋	1.5	215	190	20
9吋	1.5	255	230	20
10吋	1.5	293	265	20
11吋	1.5	308	275	20
12吋	1.5	330	305	20
13吋	1.5	355	325	20
14吋	1.5	385	355	20
15吋	1.5	410	380	20
16"	1.5	445	405	20

圖 3 顯示器安裝步驟
























Test Report

No. S0HL2109087110A

Date: Jun 02, 2021

Page 1 of 4

XINXIN INDUSTRIAL CO., LTD
Rt. 7, Huhua Building, 4078 Longfeng Road, Shenzhen, China

Sample Description : PUZZA SHOVEL
Style No. : 300M
Item No. : SPP-3036

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, authority, reliability or other integrity accordingly.

SGS Ref No. : CANHG2109093601
Sample Receiving Date : May 26, 2021
Test Performing Date : May 26, 2021 to Jun 01, 2021
Test Performed : Selected test(s) as requested by applicant

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	US FDA CPG Sec. 348.502 - Leachable Lead	PASS	/
2	US FDA recommended specification-aluminum alloy composition	PASS	/

For further details, please refer to the following page(s).

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

Bin Zhang
Authorized Signatory



Small print text at the bottom of the page, including contact information and disclaimer.

Member of the SGS Group (544 54)




Test Report

No. S0HL2109087110A

Date: Jun 02, 2021

Page 4 of 4

Photo Appendix:



CANHG2109093601
CAN21-090936 001

Remark: This test was subcontracted to SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch.

End of Report



Small print text at the bottom of the page, including contact information and disclaimer.

Member of the SGS Group (544 54)