□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□Smartwhip□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□

Test Report No.: 721619680-1
Report Date: 30 April 2015

SUBJECT	Chemical Test
TEST LOCATION	TÜV SÜD China TÜV SÜD Products Testing (Shanghai) Co., Ltd. B-3/4, No.1999 Du Hui Road, Minhang District Shanghai 201108, P.R. China
CLIENT NAME	XINXIN Industrial Co., Ltd Co., Ltd
CLIENT ADDRESS	Huihe building, Longxiang road 4075, Longgang, Shenzhen, China
TEST PERIOD	14-Apr-2015~20-Apr-2015
TEST REQUEST	1. In accordance with US FDA 21 CFR 177.1500 2. In accordance with US FDA 21 CFR 177.1520 3. In accordance with US FDA 21 CFR 177.1210 4. In accordance with US FDA 21 CFR 175.300 5. In accordance with US FDA CPG Part 7117.05
CONCLUSION	PASS 1. The submitted sample with test part(s) 001 was found to **comply with** the requirement(s) as specified in FDA 21 CFR 177.1500 specifications for Nylon 6 used in articles that contact with food. 2. The submitted sample with test part(s) 002 was found to **comply with** the requirement(s) as specified in FDA 21 CFR 177.1520 for polyethylene used in articles that contact food except for articles used for packing or holding food during cooking. 3. The submitted sample with test part(s) 003 was found to **comply with** the FDA Specifications for determining the amount of chloroform-soluble extractives in distilled water for Closures (CLOS). 4. The submitted sample with test part(s) 004 and 005 were found to **comply with** the FDA specifications for determining the amount of extractives extractives in distilled water from resinous or polymeric coating used as the food-contact surface of articles. 5. The submitted sample with test part(s) 006 was found to **comply with** the respective requirement(s) for the tested item(s) as specified in FDA Compliean Policy Guide 7117.05 Silver-Plated Hollowware - Lead Contamination.

Prepared By

(Cynthia Cao)
Customer Service

Authorized By

(Spark Shi)
Technical Manager

Note: (1) General Terms & Conditions as mentioned overleaf. (2) The results relate only to the items tested. (3) The test report shall not be reproduced except in full without the written approval of the laboratory. (4) Without the agreement of the laboratory, the client is not authorized to use the test results for unapproved propaganda. (5)The test result can be used by client for quality control.

Chemical/Microbiology Laboratory:
TÜV SÜD Products Testing (Shanghai) Co., Ltd.
B-3/4, No.1999 Du Hui Road, Minhang District
Shanghai
201108

Phone: +86 (21) 6037 6315
Fax: +86 (21) 6037 6340
Email: fool.chen@tuv-sud.cn
Webpage: www.tuv-sud.cn

Regional Head Office:
TÜV SÜD Certification and Testing (China) Co., Ltd.
No.151 Heng Tong Road Shanghai
200070 P.R.China

SGS

Test Report No. NGBHG1402905701 Date: 18 Sep 2014 Page 1 of 6

XINXIN INDUSTRIAL CO., LIMITED
B Building, NO 50,TongLe Community,LongGang Dist., China

The following sample(s) was/were submitted and identified on behalf of the clients as : CREAM WHIPPER

SGS Ref No. :	15616567
Date of Sample Received :	05 Sep 2014
Testing Period :	05 Sep 2014 - 12 Sep 2014
Test Requested :	Selected test(s) as requested by client.
Test Method :	Please refer to next page(s).
Test Results :	Please refer to next page(s).

Result Summary :

Test Requested	Conclusion
FDA 21 CFR 177.1210-Chloroform-soluble extractives (sample 002)	PASS
FDA 21 CFR 177.1520- Extractable fraction in n-hexane (sample 001)	PASS
FDA 21 CFR 177.1520- Soluble fraction in xylene (sample 001)	PASS
Leachable Lead (sample 003)	PASS
FDA 21 CFR 177.1520-Density at 23°C (sample 001)	PASS
FDA 21 CFR 177.1520- Melting Point (sample 001)	PASS

Signed for and on behalf of
SGS-CSTC Ltd.

Iris Xiao
Approved Signatory

Member of the SGS Group (SGS SA)

□□□□□□□

Q□□□□□□□□□□□□□□□

A□□□□□Industry□Trade Co.□Ltd□□□□R□D□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

Q□□□□□□□□□□□□□□□□□□□□□□□□□□□□

A□□□□□□□□□6□□□□□□□□□□□□□□□□

Q□□□□□□□□□□□□□□□□□□□□□□□□

A□□□□□□□□□□□□□□□□□6□□□□□□□□□□□□□□QC□

Q□□□□□□□□□□□□□□□□□□□□□□□□

A□ MOQ□□7□10□□□□□□□□□□□□□□□□□□□