

DIY Cake Bread Mold Eco-friendly Non Stick 28pcs Square CupCake Molds Muffin Oven Baking Mould

Features:

1. High quality 100% pure food-grade material of [Aluminum Pizza Tray With Holes](#) which is durable for use and never rust for a lifetime
2. Non-toxic, anti-corrosive
3. Superior heat conductivity
4. Anti Scraping, protect your hands
5. One-batch forming, easy to clean of [China Cake Baking Pan factory](#)

Picture Show:











by how much we are
inspective of what hap


To combat fear
attention b
I have been through some
happened. I don
your attentio
efforts w



28pcs Square Bread/Cake Mould

Size : 400X600X32 mm

Aluminum 0.4 / 0.8 mm



Test Report of [Baking Sheet Pan](#):

Test Report

No. BOWLS106008719A

Created: June 02, 2024

Page 1 of 4

XINXIN INDUSTRIAL CO., LTD
Fl. 7, Huha Building, 4075 LongKang Road, Shenzhen, China

| | |
|--------------------|----------------|
| Sample Description | : PIZZA SHOVEL |
| Style No. | : 20CM |
| Item No. | : SPR-3038 |

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant, SCS is not liable to alter the test item or its relevant information, in terms of the accuracy, suitability, reliability and integrity accordingly.

| | |
|-----------------------|--|
| BOB Ref No. | : CANH-Q2-09099801 |
| Sample Receiving Date | : May 28, 2021 |
| Test Performing Date | : May 28, 2021 to Jun 01, 2021 |
| Test Performed | : Selected test(s) as requested by applicant |

Test Result Summary

| No. | Test(s) Requested | Result(s) | Comments |
|-----|---|-----------|----------|
| 1 | US FDA CPG Sec. 645.600 - Laboratory Lead | PASS | / |
| 2 | US CMA recommended specification - Aluminum alloy composition | PASS | / |

For further details, please refer to the following page(s):

For further details, please refer to the following papers:

Signed for and on behalf of
808-C81C Standards Technical Services Co., Ltd. Shunde Branch

Snow



 Snow Drang
 Authorized Signatory



© 2006 Springer Science+Business Media, Inc. All rights reserved. This journal is registered with the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Organizations in the USA who are also registered with the Copyright Clearance Center may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to CCC of the per copy fee of \$12.00. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, USA, is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from Springer or the Springer Property Rights Department. www.springer.com

Member of the S&P 500 since 1984.


Test Report

No. SCHL210500BT110A

Date: Jun 02, 2021

Page 4 of 4

Photo Appendix



CANHG2109093601
CAN21-09093601

Remark: This test was subcontracted to SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

End of Report



© 2013 American Chemical Society. This article is licensed under a Creative Commons Attribution 3.0 Unported Licence. For more information, see <http://creativecommons.org/licenses/by/3.0/>. This article is licensed under a Creative Commons Attribution 3.0 Unported Licence. For more information, see <http://creativecommons.org/licenses/by/3.0/>.

Member of the IAGLR Group (IAGLR 19)