

Multi-Sizes Perforated Pizza Baking Pan Manufacturers China

Aluminum Pizza Pan With Holes

Features:

1. Non-toxic, anti-corrosive
2. Durable, do not rust
3. High temperature resistant
4. Environmental protection
5. Corrosion resistance, easy to clean


Product Description:

Round Pizza Pan	Thickness(mm)	Top Dia.(mm)	Bottom Dia.(mm)	Height(mm)
6.5"	1.5	195	165	20
7.5"	1.5	215	190	20
9"	1.5	255	230	20
10"	1.5	293	265	20
11"	1.5	308	275	20
12"	1.5	330	305	20
13"	1.5	355	325	20
14"	1.5	385	355	20
15"	1.5	410	380	20
16"	1.5	445	405	20

Picture Shows:















The Workshop of [China perforated Pizza Pan manufacturer](#), also our products can pass FDA & SGS test.



Test Report

No. 80HL2106008719QA

Created: June 02, 2024

Page 1 of 4

XINXIN INDUSTRIAL CO., LTD
R. 7, Huifu Building, 4075 LongXiang Road, Shenzhen, China

Sample Description	: PIZZA SHOVEL
Style No.	: 20CM
Item No.	: SPR-3038

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant, SCS is not liable to alter the test item or its relevant information, in terms of the accuracy, suitability, reliability and integrity accordingly.

BOB Ref No.	1	CANWQ2100000001
Sample Receiving Date	1	May 28, 2021
Test Performing Date	1	May 28, 2021 to Jun 01, 2021
Test Performed	1	Selected test(s) as requested by applicant

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	US FDA CPQ Sec. 645.600 - Laboratory Lead	PASS	/
2	US FDA recommended specification - Aluminum alloy composition	PASS	/

For further details, please refer to the following page(s):

For further details, please refer to the following papers:

Signed for and on behalf of
808-C81C Standards Technical Services Co., Ltd. Shunde Branch

Erwin Zhang
Authorized Signatory



© 2010 John Wiley & Sons, Ltd. *J. Forecast.* **30**, 1–10 (2011)
DOI: 10.1002/for


Test Report

No. 80HL2105008711QA

Date: Jun 02, 2021

Page 4 of 4

Photo Appendix



CANHG2109093601
CAN21-090936 001

Remark: This test was subcontracted to SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

End of Report

[illegible]