

Forma de pão e forma de pizza para bolo e assadeira de alumínio perfurado para forno de padaria assadeira assadeira conjunto de assadeiras

Recursos:

1. Material de alta qualidade 100% puro de qualidade alimentar da assadeira de [liga de alumínio](#) que é durável para uso e nunca enferruja por toda a vida
2. Não tóxico, anticorrosivo
3. Condutividade térmica superior
4. Anti-raspagem, proteja suas mãos
5. Formação de um lote, fácil de limpar [fábrica de assadeira perfurada na China](#)

Mostrar foto:













Relatório de teste da [assadeira](#) :



Test Report

No. S0HL2109087110A

Date: Jun 02, 2021

Page 1 of 4

XINXIN INDUSTRIAL CO., LTD
Rt. 7, Hui Building, 4078 Longfeng Road, Shenzhen, China

Sample Description : PIZZA SHOVEL
Style No. : 30CM
Item No. : SPP-3038

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, authority, reliability or integrity accordingly.

SGS Ref No. : CANHG2109093601
Sample Receiving Date : May 26, 2021
Test Performing Date : May 26, 2021 to Jun 01, 2021
Test Performed : Selected test(s) as requested by applicant

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	US FDA CPG Sec. 348.502 - Leachable Lead	PASS	/
2	US FDA recommended specification-aluminum alloy composition	PASS	/

For further details, please refer to the following page(s).

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

Bin Zhang
Authorized Signatory



Small print text regarding SGS services and contact information.

Member of the SGS Group (544 54)




Test Report

No. S0HL2109087110A

Date: Jun 02, 2021

Page 4 of 4

Photo Appendix:



CANHG2109093601
CAN21-090936 001

Remark: This test was subcontracted to SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch.

End of Report



Small print text regarding SGS services and contact information.

Member of the SGS Group (544 54)