

# Máquina de moagem de feijão de café industrial fábrica China moedor de café universal 20kg

## **Recursos:**

- 1). Estrutura simples no tipo linear, fácil na instalação e manutenção.
- 2). Com jaqueta de refrigeração de água ao redor da câmara de moagem.
- 3). Adotando componentes avançados de marca mundialmente famosa em peças pneumáticas, peças elétricas e peças de operação.
- 4). Temos diferentes tipos de faca para deixar você escolher para diferentes tipos de materiais.

## **Descrição do Produto:**

Tamanho do produto:	480 * 210 * 500mm
Poder	1.1kw.
Voltagem	220V.
Modo de aquecimento	Elétrico
Peso líquido	30kgs.



### **Nossos serviços:**

- 1. Responder em 24 horas.**
- 2. Todos os produtos serão testados antes da entrega.**
- 3. Entrega a tempo e excelente serviço pós-venda.**
- 4. Alta qualidade, preço razoável.**

**Você também pode escolher o nosso [Torrador de café China fornecedores](#) para feijão de café**

## Highest Quality Materials

1

- All bean contact body are made of food grade 304 stainless steel. Double-walled drum for even heating and roasting.
- Independent powerful motors with infinitely adjustable-speed system, brand cooling and roasting at the same time.
- The temperature controller panel with dual thermocouple detectors and LED colorful stainless steel switch buttons for service life up to 50,000 times.

## Echo-friendly Solutions

2

- The burner can make sure 360 degree even roast. Super energy-saving, cost you only USD0.25-USD0.30 hour for gas consumption.
- Roast sustainable and reduce emission with our electric type roaster. 30mm cancer-free insulation material, ceramic fiber for heat resistance and minimal heat loss.

## Warranty Guarantee

3

- When you buy the coffee roaster from us, you are assured of the best support and service from the beginning to the end.
- 24/7 online after-sale service guaranteed under 1 year limited warranty with a Birth Card bearing unique birth code & Warranty Card Stated warranty terms.
- Warranty can be extend up to 3 years with extra cost.