

Камуфляжное покрытие Крем-пенообразователь Крекер Smartwhip Портативный взбитые сливки Крекер Десертные инструменты Камуфляжный крекер

Особенность:

- 1). В [8g N2O Cracker Поставщики Китай](#) может быть использован для холодных кремов, соусов и муссов.
- 2). Емкость: 1 шт. 8 г N2O можно использовать одновременно.
- 3). Совместим со всеми марками картриджей с закисью азота (N2O) 8 г, включая iSi, Whip-It!, Kayser, Mosa, Mr. Whip, Ultra Purewhip, Liss и многие другие. 8 г газа N2O не входит в комплект.
- 4). [Мороженое](#), приготовленное с помощью этого инструмента, останется свежим после его приготовления.

Описание продукта:

Название производства	Кремовый крекер N2O
Стиль #	SKCW300 Камуфляж
Размер товара	72*25 мм
Материал	Алюминий
Масса	45 г/шт.
Цвет	Смешанные цвета













[Пакет смехотворных газовых крекеров производителей Китая](#)



Сертификат:



ORIGIN

SUBJECT Chemical Test

TEST LOCATION TÜV SÜD China
TÜV SÜD Products Testing (Shanghai) Co., Ltd.
8-3/4, No.1999 Du Hu Road, Minhang District
Shanghai 201108, P.R. China

CLIENT NAME XINXIN Industrial Co., Ltd Co., Ltd

CLIENT ADDRESS Huihe building, Longxiang road 4075, Longgang, Shenzhen, China

TEST PERIOD 14-Apr-2015-20-Apr-2015

TEST REQUEST

1. In accordance with US FDA 21 CFR 177.1500
2. In accordance with US FDA 21 CFR 177.1520
3. In accordance with US FDA 21 CFR 177.1210
4. In accordance with US FDA 21 CFR 175.300
5. In accordance with US FDA CPG Part 7117.05

CONCLUSION PASS

1. The submitted sample with test part(s) 001 was found to comply with the requirement(s) as specified in FDA 21 CFR 177.1500 specifications for Nylon 6 used in articles that contact with food.
2. The submitted sample with test part(s) 002 was found to comply with the requirement(s) as specified in FDA 21 CFR 177.1520 for polyethylene used in articles that contact food except for articles used for packing or holding food during cooking.
3. The submitted sample with test part(s) 003 was found to comply with the FDA Specifications for determining the amount of chloroform-soluble extractives in distilled water for Closures (CLOS).
4. The submitted sample with test part(s) 004 and 005 were found to comply with the FDA specifications for determining the amount of extractives extractives in distilled water from resinous or polymeric coating used as the food-contact surface of articles.
5. The submitted sample with test part(s) 006 was found to comply with the respective requirement(s) for the tested item(s) as specified in FDA Compican Policy Guide 7117.05 Silver-Plated Hollowware - Lead Contamination.

Prepared By

(Cynthia Cao)
Customer Service

Authorized By



Note: (1) General Terms & Conditions as mentioned elsewhere. (2) The results relate only to the items tested. (3) The test report shall not be reproduced except in full without the written approval of the laboratory. (4) Without the agreement of the laboratory, the client is not authorized to use the test results for unapproved preparations. (5) The test result can be used by client for quality control.

Chemical/Microbiology Laboratory
TÜV SÜD Products Testing (Shanghai) Co., Ltd.
8-3/4 No.1999 Du Hu Road, Minhang District
Shanghai
201108

Phone: +86 (21) 6027 6376
Fax: +86 (21) 6027 6340
Email: test.zheng@tuv-sud.cn
Website: www.tuv-sud.cn

Regional Head Office:
TÜV SÜD Certification and Testing
China Co., Ltd.
No. 101 Hong Yang Road Shanghai
200 070, P.R.China



Test Report No. NGBHG1402905701 Date: 18 Sep 2014 Page 1 of 6

XINXIN INDUSTRIAL CO., LIMITED
8 Building, NO 8/1, Tongle Community, LongGang Dist., China

The following sample(s) was/were submitted and identified on behalf of the clients as : CREAM WHIPPER

SGS Ref No.: 15616567
Date of Sample Received: 05 Sep 2014
Testing Period: 05 Sep 2014 - 12 Sep 2014
Test Requested: Selected test(s) as requested by client.
Test Method: Please refer to next page(s).
Test Results: Please refer to next page(s).

Result Summary:

Test Requested	Conclusion
FDA 21 CFR 177.1210-Chloroform-soluble extractives (sample 002)	PASS
FDA 21 CFR 177.1520- Extractable fraction in n-hexane (sample 001)	PASS
FDA 21 CFR 177.1520- Soluble fraction in xylene (sample 001)	PASS
Leachable Lead (sample 003)	PASS
FDA 21 CFR 177.1520-Density at 23°C (sample 001)	PASS
FDA 21 CFR 177.1520- Melting Point (sample 001)	PASS

Signed for and on behalf of
SGS-CSTC Ltd.

Iris Xiao
Approved Signatory



This document is issued by the Company subject to its General Conditions of Service printed elsewhere, available on request or accessible at www.sgs.com. It is subject to the terms and conditions of the contract, which are available on request or accessible at www.sgs.com. The client is not authorized to use the test results for unapproved preparations. (5) The test result can be used by client for quality control.

SGS-CSTC Ltd. is a member of the SGS Group (SGS SA).

ВОПРОСЫ-ОТВЕТЫ:

Вопрос: вы производитель?

А: Мы Industry & Trade Co., Ltd, у нас есть команда R & D, производственный отдел и отдел продаж.

Качество может быть гарантировано, а цена конкурентоспособна.

Q: Каковы ваши условия оплаты?

А: Стандартные условия: T/T, West Union, Alibaba Tradesure и PayPal.

Также аккредитив по предъявлении приемлем для крупной суммы.

Q: Вы принимаете частную этикетку? Что такое MOQ?

О: Да, частная торговая марка доступна. Нет строго ограниченного минимального заказа, меньшее количество с более высокой платой за упаковку и печать.

Q: Вы делаете OEM и ODM?

О: Да, мы занимаемся OEM и ODM уже более 10 лет.

В: Могу ли я получить образцы?

О: Конечно. Обычно мы предоставляем существующий образец бесплатно. Мы можем вернуть стоимость образца, когда вы заказали.

В: Какое гарантийное обслуживание вы предлагаете?

А: Мы предлагаем 6 месяцев гарантии на все наши продукты.

В: Как вы обеспечиваете качество своей продукции?

А: Строгий контроль качества с 6-этапным тестированием от покупки сырья до готового продукта.

Q: Сколько времени занимает производство?

О: минимальный объем заказа занимает 7-10 дней. У нас есть большие производственные мощности, которые могут обеспечить быструю доставку даже для большого количества.